ELECTRICAL AND ELECTRONICS ENGINEERING

CODE	COURSE NAME	CATEGORY	L	T	P	CREDITS
EET201	CIRCUITS AND	РСС	2	2	0	4
	NETWORKS				_	

Preamble : This course introduces circuit analysis techniques applied to dc and ac electric circuits. Analyses of electric circuits in steady state and dynamic conditions are discussed. Network analysis is introduced with network parameters and transfer functions. This course serves as the most important prerequisite of all many advanced courses in electrical engineering.

Prerequisite : Basics of Electrical Engineering / Introduction to Electrical Engineering

Course Outcomes : After the completion of the course the student will be able to:

CO 1	Apply circuit theorems to simplify and solve complex DC and AC electric networks.
CO 2	Analyse dynamic DC and AC circuits and develop the complete response to excitations.
CO 3	Solve dynamic circuits by applying transformation to s-domain.
CO 4	Analyse three-phase networks in Y and Δ configurations.
CO 5	Solve series /parallel resonant circuits.
CO 6	Develop the representation of two-port networks using network parameters and analyse.

Mapping of course outcomes with program outcomes

	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12
CO 1	3	3										2
CO 2	3	3					1					2
CO 3	3	3							1			2
CO 4	3	3										2
CO 5	3	3										2
CO 6	3	3										2

-510

Assessment Pattern

Bloom's Category	Continuous Asso	essment Tests	End Semester Examination		
	1	2			
Remember (K1)	10	10	10		
Understand (K2)	20	20	40		
Apply (K3)	20	20	50		
Analyse (K4)			-		
Evaluate (K5)					
Create (K6)	-	- 7	-		

End Semester Examination Pattern :

There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 sub-divisions and carry 14 marks.

Course Level Assessment Questions ELECTRICAL AND ELECTRONICS ENGINEERING

Course Outcome 1 (CO1):

- 1. State and explain network theorems (K1)
- 2. Problems on solving circuits using network theorems. (K2, K3)

Course Outcome 2 (CO2):

- 1. Distinguish between the natural response and forced response. (K2, K3)
- 2. Problems on steady state and transient analysis of RL, RC and RLC series circuits with DC excitation and initial conditions. (K2, K3)
- 3. Problems on steady state and transient analysis of RL, RC and RLC series circuits with sinusoidal excitation. (K2, K3)

Course Outcome 3 (CO3):

- 1. Problems on mesh analysis and node analysis of transformed circuits in s-domain (K2, K3).
- 2. Problems on solution of transformed circuits including mutually coupled circuits in sdomain (K2, K3).

Course Outcome 4 (CO4):

- 1. Problems on analysis of unbalanced Y and Δ configurations. (K2, K3)
- 2. Evaluation of neutral shift voltage in unbalanced systems. (K2, K3).

Course Outcome 5 (CO5):

- 1. Define Bandwidth, and draw the frequency dependence of impedance of an RLC network. (K1).
- 2. Develop the impedance/admittance Vs frequency plot for the given RLC network. (K2).
- 3. Evalutate the parameters such as quality factor, bandwidth,

Course Outcome 6 (CO6):

1. Problems on finding Z, Y, h and T parameters of simple two port networks. (K2).

Estd.

- 2. Derive the expression for Z parameters in terms of T parameters. (K1).
- 3. Show that the overall transmission parameter matrix for cascaded 2 port network is simply the matrix product of transmission parameters for each individual 2 port network in cascade. (K1).

QP CODE:

Reg. No:	
Name:	

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY THIRD SEMESTER B.TECH DEGREE EXAMINATION, MONTH & YEAR

Course Code: EET 201

Course Name: CIRCUITS AND NETWORKS

Max. Marks: 100

Duration: 3 Hours

PAGES:4

PART A (3 x 10 = 30 Marks)

Answer all Questions. Each question carries 3 Marks

- 1. State and explain superposition theorem using an example.
- 2. Obtain Thevenin's equivalent for the following circuit w.r.t terminals A and B:



- 3. Define time constant of a circuit. What is the time constant of an RL circuit?
- 4. How are RLC networks classified according to damping ratios? Sketch the various responses when an RLC series circuit is excited by a DC source.
- 5. Explain the dot convention used in coupled circuits.
- 6. Derive the s-domain equivalent circuit of an inductor carrying an initial current of Io.
- 7. Describe the variation of impedance and phase angle as a function of frequency in a series RLC circuit.
- 8. Define quality factor. Derive quality factor for inductive and capacitive circuits.
- 9. Derive the condition for symmetry & reciprocity in terms of T parameters.
- 10. Obtain Y parameters of the following network:



PART B (14 x 5 - 70 Marks) ELECTRONICS ENGINEERING

Answer any one full question from each module. Each question carries 14 Marks

Module 1

- 11. With respect to the following circuit,
 - a) Find the value of Resistor 'R' that results in maximum power transfer to it. (10)
 - b) Find the value of maximum power transferred to 'R'.





13. a) In the following circuit, steady state exits when switch is in position 'a'. At time t = 0, the switch is moved to position 'b' .Obtain an expression for inductor current for time t > 0



b) For the following circuit, switch 'S' is in position 'a' for a very long time. At time t = 0, the switch is thrown to position 'b'. Find the expression for current through $5k\Omega$. (8)



- 14. a) Given an RC circuit with zero initial charge on capacitor. Find the expression GINEERING forcurrent after a DCsource 'V_{DC}' is applied to the RC network. Also determine thetime constant of the circuit. (4)
 - b) Obtain an expression for current in the following circuit after switch is closed attime t=0. Use Laplace transform method. (10)



15. a) For the following coupled circuit, the coupling coefficient, K =0.5. Write the KVL equations for currents i_1 and i_2 . Also obtain the voltage drop across 5Ω resistor.



b) In figure, $L_1=4H$, $L_2=9H$, coefficient of coupling K=0.5, $i_1 = 5 \cos(50t-300)$ Amps, $i_2 = 2\cos(50t-300)$ Amps. Write the KVL equations for V₁ and V₂. Find their values at t=0 (4)



- 16. In the circuit shown, at time t = 0, the switch was closed.
 - a. Model the circuit in s-domain for time t > 0.
 - b. Through mesh analysis, obtain the time domain values of values of i_1 , i_2 and i_3
 - Given that the capacitor and inductor were initially relaxed.



(10)

(4)

(10)

17. The following load is delta connected to a 100V three phase system. Find the phase currents, line currents and total power consumed by the load.



ELECTRICAL AND ELECTRONICS ENGINEERING

Syllabus

Module 1

Circuit theorems: DC and Sinusoidal steady state analysis of circuits with dependent and independent sources applying Superposition principle, Source transformation, Thevenin's, Norton's and Maximum Power Transfer theorems - Reciprocity theorem.

Module 2

Analysis of first and second order dynamic circuits: Formulation of dynamic equations of RL, RC and RLC series and parallel networks with dc excitation and initial conditions and complete solution using Laplace Transforms - Time constant - Complete solution of RL, RC and RLC circuits with sinusoidal excitation using Laplace Transforms – Damping ratio – Over damped, under damped, critically damped and undamped RLC networks.

Module 3

Transformed circuits in s-domain: Transform impedance/admittance of R, L and C - Mesh analysis and node analysis of transformed circuits in s-domain. Transfer Function representation – Poles and zeros.

Analysis of Coupled Circuits: – Dot polarity convention – Sinusoidal steady state analysis of coupled circuits - Linear Transformer as a coupled circuit - Analysis of coupled circuits in s-domain.

Module 4

Three phase networks and resonance:Complex Power in sinusoidal steady state. Steady state analysis of three-phase three-wire and four-wire unbalanced Y circuits, Unbalanced Delta circuit, Neutral shift.

Resonance in Series and Parallel RLC circuits – Quality factor – Bandwidth – Impedance Vs Frequency, Admittance Vs Frequency, Phase angle Vs frequency for series resonant circuit.

Module 5

Two port networks: Driving point and transfer functions – Z, Y, h and T parameters – Conditions for symmetry & reciprocity – relationship between parameter sets – interconnections of two port networks (series, parallel and cascade) — T- π transformation.

Text Books

- 1. Joseph A. Edminister and MahmoodNahvi, "Theory and Problems in Electric circuits", McGraw Hill, 5th Edition, 2010.
- 2. Ravish R. Singh, "Network Analysis and Synthesis", McGraw-Hill Education, 2013

References:

- 1. Hayt and Kemmerly, "Engineering Circuit Analysis", McGraw Hill Education, New Delhi, 8th Ed, 2013.
- 2. Van Valkenberg, "Network Analysis", Prentice Hall India Learning Pvt. Ltd., 3 edition, 1980.
- 3. K. S. Suresh Kumar, "Electric Circuit Analysis", Pearson Publications, 2013.
- 4. Chakrabarti, "Circuit Theory Analysis and Synthesis", DhanpatRai& Co., Seventh Revised edition, 2018
- 5. R. Gupta, "Network Analysis and Synthesis", S. Chand & Company Ltd, 2010.

Course Contents and Lecture Schedule:

No	Торіс	No. of Lectures
1	Natwork theorems DC and AC steady state analysis (12 hours)	
1	Network theorems - DC and AC steady state analysis (12 hours)	
1.1	Linearity and Superposition principle - Application to the analysis of DC	2
	and AC (sinusoidal excitation) circuits. Application of source	
	transformation in electric circuit analysis.	
1.2	Thevenin's theorem - Application to the analysis of DC and AC circuits	3
	with dependent and independent sources.	
1.3	Norton's theorem - Application to the analysis of DC and AC circuits	3
	with dependent and independent sources.	
1.4	Maximum power transfer theorem - DC and AC steady state analysis	2
	with dependent and independent sources.	
1.5	Reciprocity Theorem - Application to the analysis of DC and AC	2
	Circuits.	
2	First order and second order dynamic circuits. (9 hours)	
2.1	Review of Laplace Transforms – Formulae of Laplace Transforms of	2
2.1	common functions/signals, Initial value theorem and final value theorem,	-
	Inverse Laplace Transforms - partial fraction method. (Questions to	
	evaluate the Laplace/inverse transforms of any function / partial fractions method shall	
	not be given in tests/final examination. Problems with application to circuits can be given).	
2.2	Formulation of dynamic equations of RL series and parallel networks	1
	and solution using Laplace Transforms - with DC excitation and initial	

	conditions. Natural response and forced response. Time constant.		
2.3	Formulation of dynamic equations of RC series networks and solution using Laplace Transforms – with DC excitation and initial conditions. Natural response and forced response. Time constant.		
2.4	Formulation of dynamic equations of RLC series networks with DC excitation and initial conditions, and solution using Laplace Transforms – Natural response and forced response. Damping coefficient. Underdamped, Overdamped, critically damped and undamped cases.	1	
2.5	Formulation of dynamic equations of RL, RC and RLC series networks and solution with sinusoidal excitation. Complete solution (Solution using Laplace transforms).	2	
2.6	Formulation of dynamic equations of RL, RC and RLC parallel networks and solution using Laplace Transforms – with DC and Sinusoidal excitations. Damping ratio.	2	
3	Transformed Circuits in s-domain and Coupled circuits (9 Hours)		
3.1	Transformed circuits in s-domain: Transformation of elements (R, L, and C) with and without initial conditions.	2	
3.2	Mesh analysis of transformed circuits in s-domain.	1	
3.3	Node analysis of transformed circuits in s-domain.	1	
3.4	Transfer Function representation – Poles and zeros.	1	
3.5	Analysis of coupled circuits: mutual inductance – Coupling Coefficient- Dot polarity convention — Conductively coupled equivalent circuits. Linear Transformer as a coupled circuit.	2	
3.6	Analysis of coupled circuits in s-domain.	2	
4	Three phase networks and resonance. (6 Hours)		
4.1	Review of power, power factor, reactive and active power in sinusoidally excited circuits. Concept of complex power.	1	
4.2	Steady state analysis of three-phase unbalanced 3-wire and 4-wire Y circuits, Unbalanced Δ circuits, Neutral shift.	2	
4.3	Resonance in Series and Parallel RLC circuits – Quality factor – Bandwidth – Impedance Vs Frequency, Admittance Vs Frequency and Phase angleVs frequency for series resonant circuit.	3	

ELECTRICAL AND ELECTRONICS ENGINEERING

5	Two port networks (9 Hours)	
5.1	Two port networks: Terminals and Ports, Driving point and transfer	2
	functions. Voltage transfer ratio, Current transfer ratio, transfer	
	impedance, transfer admittance, poles and zeros.	
5.2	Z –parameters. Equivalent circuit representation.	1
5.3	Y parameters. Equivalent circuit representation.	1
5.4	h parameters. Equivalent circuit representation.	1
5.5	T parameters.	1
5.6	Conditions for symmetry & reciprocity, relationship between network	1
	parameter sets.	
5.7	Interconnections of two port networks (series, parallel and cascade).	1
5.8	T- π Transformation.	1

